



TRAP SURVEY REPORT

Date printed: 2016-Dec-13

For Dates From 2016-Dec-6 Through 2016-Dec-14

Survey Performed by Kurt Armstrong

Locations: Ontario, CA, Herstal, Belgium

Nests: Buildings

Groups: Central





Hilton Hotels & Resorts

63.6%
In Service Failure

11
Population Count

5,250 USD
Annualized Monetary Loss

377 MMBTU/yr
Fuel Used

1,250 USD
Repair Cost


272,700 lb
Annualized Steam Loss

4,000 USD
Savings

3 months
Payback Period


44,052 lb
Annualized CO2 Emissions

TRAP TYPE SUMMARY




Description	Population Count	% of Total	Failure Count	In Service Failure	In Service Population
DC Disc	2	18.2%	2	100%	2
FL Float	3	27.3%	2	66.7%	3
IB Inverted Bucket	6	54.5%	3	50%	6
Total	11	100%	7	63.6%	11

MANUFACTURER SUMMARY



Description	Population Count	% of Total	Failure Count	In Service Failure	In Service Population
Spirax Sarco	3	27.3%	3	100%	3
TLV	1	9.1%	1	100%	1
Armstrong	6	54.5%	3	50%	6
Anderson	1	9.1%	0	0%	1
	11	100%	7	63.6%	11


APPLICATION SUMMARY



Description	Population Count	% of Total	Failure Count	In Service Failure	In Service Population
DR Drip	9	81.8%	6	66.7%	9
PR Process	2	18.2%	1	50%	2
	11	100%	7	63.6%	11

CONDITION SUMMARY


RC CD BT OK LK



	Description	Population Count	% of Total
OK	Good	4	36.4%
BT	Blow Thru	3	27.3%
LK	Leaking	2	18.2%
RC	Rapid Cycling	1	9.1%
CD	Cold	1	9.1%
		11	100%

TECHNICIAN SUMMARY

■ kurta



	Technician name	Population Count	% of Total
kurta	Kurt Armstrong	11	100%
		11	100%

63.6%
In Service Failure

11
Population Count

5,250 USD
Annualized Monetary Loss

377 MMBTU/yr
Fuel Used

1,250 USD
Repair Cost


272,700 lb
Annualized Steam Loss

4,000 USD
Savings

3 months
Payback Period


44,052 lb
Annualized CO2 Emissions

TRAP TYPE SUMMARY




Description	Population Count	% of Total	Failure Count	In Service Failure	In Service Population
DC Disc	2	18.2%	2	100%	2
FL Float	3	27.3%	2	66.7%	3
IB Inverted Bucket	6	54.5%	3	50%	6
Total	11	100%	7	63.6%	11

MANUFACTURER SUMMARY



Description	Population Count	% of Total	Failure Count	In Service Failure	In Service Population
Spirax Sarco	3	27.3%	3	100%	3
TLV	1	9.1%	1	100%	1
Armstrong	6	54.5%	3	50%	6
Anderson	1	9.1%	0	0%	1
	11	100%	7	63.6%	11


APPLICATION SUMMARY



Description	Population Count	% of Total	Failure Count	In Service Failure	In Service Population
DR Drip	9	81.8%	6	66.7%	9
PR Process	2	18.2%	1	50%	2
	11	100%	7	63.6%	11

CONDITION SUMMARY


RC CD BT OK LK



	Description	Population Count	% of Total
OK	Good	4	36.4%
BT	Blow Thru	3	27.3%
LK	Leaking	2	18.2%
RC	Rapid Cycling	1	9.1%
CD	Cold	1	9.1%
		11	100%

TECHNICIAN SUMMARY

■ kurta



	Technician name	Population Count	% of Total
kurta	Kurt Armstrong	11	100%
		11	100%